

10/ 786,650

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal202txn

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	FEB 25	CA/CAPLUS - Russian Agency for Patents and Trademarks (ROSPATENT) added to list of core patent offices covered
NEWS	4	FEB 28	PATDPAFULL - New display fields provide for legal status data from INPADOC
NEWS	5	FEB 28	BABS - Current-awareness alerts (SDIs) available
NEWS	6	FEB 28	MEDLINE/LMEDLINE reloaded
NEWS	7	MAR 02	GBFULL: New full-text patent database on STN
NEWS	8	MAR 03	REGISTRY/ZREGISTRY - Sequence annotations enhanced
NEWS	9	MAR 03	MEDLINE file segment of TOXCENTER reloaded
NEWS	10	MAR 22	KOREAPAT now updated monthly; patent information enhanced
NEWS	11	MAR 22	Original IDE display format returns to REGISTRY/ZREGISTRY
NEWS	12	MAR 22	PATDPASPC - New patent database available
NEWS	13	MAR 22	REGISTRY/ZREGISTRY enhanced with experimental property tags
NEWS	14	APR 04	EPFULL enhanced with additional patent information and new fields
NEWS	15	APR 04	EMBASE - Database reloaded and enhanced
NEWS	16	APR 18	New CAS Information Use Policies available online
NEWS EXPRESS			JANUARY 10 CURRENT WINDOWS VERSION IS V7.01a, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 10 JANUARY 2005
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 14:15:27 ON 22 APR 2005

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 14:15:41 ON 22 APR 2005  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 21 APR 2005 HIGHEST RN 848979-49-7  
DICTIONARY FILE UPDATES: 21 APR 2005 HIGHEST RN 848979-49-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when  
conducting SmartSELECT searches.


\*\*\*\*\*  
\*  
\* The CA roles and document type information have been removed from \*  
\* the IDE default display format and the ED field has been added, \*  
\* effective March 20, 2005. A new display format, IDERL, is now \*  
\* available and contains the CA role and document type information. \*  
\*  
\*\*\*\*\*

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more  
information enter HELP PROP at an arrow prompt in the file or refer  
to the file summary sheet on the web at:  
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

Uploading C:\Program Files\Stnexp\Queries\Oxford tricyclic.str



10/ 786,650

chain nodes :

15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13 14 40 41 42 43 44 45

chain bonds :

11-16 12-25 13-15 15-40 17-18 19-20 21-22 23-24 25-26 26-27 27-28 27-29

ring bonds :

1-2 1-6 2-3 2-7 3-4 3-10 4-5 5-6 7-8 8-9 9-10 9-11 10-14 11-12 12-13  
13-14 40-41 40-45 41-42 42-43 43-44 44-45

exact/norm bonds :

2-7 7-8 9-10 9-11 10-14 11-12 11-16 12-13 12-25 13-14 13-15 15-40 17-18  
19-20 21-22 23-24 25-26 26-27 27-28 27-29

exact bonds :

3-10 8-9

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 40-41 40-45 41-42 42-43 43-44 44-45

isolated ring systems :

containing 1 : 40 :

G1:[\*1],[\*2],[\*3],[\*4]

G2:C,O

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom  
11:Atom 12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS  
19:CLASS 20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:CLASS 25:CLASS 26:CLASS  
27:CLASS 28:CLASS 29:CLASS 40:Atom 41:Atom 42:Atom 43:Atom 44:Atom 45:Atom

L1 STRUCTURE UPLOADED

=> d 11

L1 HAS NO ANSWERS

L1 STR



```
G1 [ @1], [ @2], [ @3], [ @4]
G2 C, O
```

Structure attributes must be viewed using STN Express query preparation.

=> s 11 sample

SAMPLE SEARCH INITIATED 14:16:27 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 0 TO ITERATE

```
100.0% PROCESSED      0 ITERATIONS      0 ANSWERS
SEARCH TIME: 00.00.01
```

```

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH    **COMPLETE**
PROJECTED ITERATIONS:   0 TO      0
PROJECTED ANSWERS:      0 TO      0

```

L2                      0 SEA SSS SAM L1

=> s ll full

```
FULL SEARCH INITIATED 14:16:40 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      7 TO ITERATE
```

```
100.0% PROCESSED          7 ITERATIONS                      7 ANSWERS
SEARCH TIME: 00.00.01
```

L3                      7 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE  
ENTRY  
161.76

TOTAL  
SESSION  
161.97

10/ 786,650

FILE 'CAPLUS' ENTERED AT 14:16:51 ON 22 APR 2005  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 22 Apr 2005 VOL 142 ISS 18  
FILE LAST UPDATED: 21 Apr 2005 (20050421/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 13

L4 1 L3

=> d 14 1- ibib abs hitstr

YOU HAVE REQUESTED DATA FROM 1 ANSWERS - CONTINUE? Y/(N):y

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2000:707163 CAPLUS

DOCUMENT NUMBER: 133:266869

TITLE: Preparation of 2-aryliminopyrimido[6,1-a]isoquinolin-4-ones as phosphodiesterase inhibitors.

INVENTOR(S): Oxford, Alexander William; Jack, David

PATENT ASSIGNEE(S): Vanguard Medica Ltd., UK

SOURCE: PCT Int. Appl., 77 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent


LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000058308	A1	20001005	WO 2000-GB1193	20000329
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
NZ 514158	A	20000329	NZ 2000-514158	20000329
CA 2368413	AA	20001005	CA 2000-2368413	20000329
AU 2000041274	A5	20001016	AU 2000-41274	20000329
AU 773504	B2	20040527		
EP 1165558	A1	20020102	EP 2000-920857	20000329

EP 1165558 B1 20030924  
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,  
 IE, SI, LT, LV, FI, RO  
 BR 2000009446 A 20020115 BR 2000-9446 20000329  
 JP 2002540207 T2 20021126 JP 2000-608010 20000329  
 AT 250602 E 20031015 AT 2000-920857 20000329  
 PT 1165558 T 20040227 PT 2000-920857 20000329  
 ES 2208310 T3 20040616 ES 2000-920857 20000329  
 US 2003036542 A1 20030220 US 2001-964260 20010926  
 US 6794391 B2 20040921  
 NO 2001004728 A 20011123 NO 2001-4728 20010928  
 US 2004171828 A1 20040902 US 2004-786650 20040224  
 US 2004176353 A1 20040909 US 2004-786400 20040224  
 PRIORITY APPLN. INFO.: GB 1999-7454 A 19990331  
 GB 1999-9802 A 19990428  
 WO 2000-GB1193 W 20000329  
 US 2001-964260 A3 20010926  
 OTHER SOURCE(S): MARPAT 133:266869  
 GI




I

AB Title compds. [I; R1, R2 = alkyl, acyl; R5 = H, alkyl, alkenyl, alkynyl; R6 = H, alkyl, alkenyl, alkynyl, amino, alkylamino, dialkylamino, acylamino; R7, R8 = H, halo, OH, CF3, alkyl, alkenyl, alkynyl, acyl, alkythio, alkoxy, cycloalkyl; R9 = H, halo, OH, CF3, alkyl, alkenyl, alkynyl, acyl, alkythio, alkoxy, cycloalkyl; X = OCH2, CR3R4; R3, R4 = H, alkyl; R10, R11 = H, alkyl, cycloalkyl, Ph; Y = O, CHNO2, NCN, NH, NNO2; n = 2-4], were prepared. I have a longer duration of action than the known compound trequinsin (9,10-dimethoxy-3-methyl-2-mesitylimino-2,3,6,7-tetrahydro-4H--pyrimido[6,1-a]isoquinolin-4-one) and do not have trequinsin's very bitter taste. Thus, Na cyanate was added dropwise to 9,10-dimethoxy-2-(2,4,6-trimethylphenylimino)-3-(2-aminoethyl)-3,4,6,7-tetrahydro-2H-pyrimido[6,1-a]isoquinolin-4-one (preparation given) in aqueous HCl at 80° followed by stirring for 2 h to give 54% 9,10-dimethoxy-2-(2,4,6-trimethylphenylimino)-3-(N-carbamoyl-2-aminoethyl)-3,4,6,7-tetrahydro-2H-pyrimido[6,1-a]isoquinolin-4-one(II). II inhibited PDE3 with IC50 = 0.46 μM and was tasteless.  
 IT 298680-27-0P 298680-28-1P 298680-29-2P  
 298680-31-6P 298680-32-7P 298680-37-2P  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological

study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(preparation of 2-aryliminopyrimido[6,1-a]isoquinolin-4-ones as phosphodiesterase inhibitors)


RN 298680-27-0 CAPLUS

CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2,3,6,7-tetrahydro-9,10-dimethoxy-3-[2-[[1-(methylamino)-2-nitroethenyl]amino]ethyl]-2-[(2,4,6-trimethylphenyl)imino]- (9CI) (CA INDEX NAME)




RN 298680-28-1 CAPLUS

CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2,3,6,7-tetrahydro-9,10-dimethoxy-3-[2-[[1-[(1-methylethyl)amino]-2-nitroethenyl]amino]ethyl]-2-[(2,4,6-trimethylphenyl)imino]- (9CI) (CA INDEX NAME)




RN 298680-29-2 CAPLUS

CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 3-[2-[[1-(dimethylamino)-2-nitroethenyl]amino]ethyl]-2,3,6,7-tetrahydro-9,10-dimethoxy-2-[(2,4,6-trimethylphenyl)imino]- (9CI) (CA INDEX NAME)



RN 298680-31-6 CAPLUS


CN Guanidine, [2-[6,7-dihydro-9,10-dimethoxy-4-oxo-2-[(2,4,6-trimethylphenyl)imino]-2H-pyrimido[6,1-a]isoquinolin-3(4H)-yl]ethyl]- (9CI) (CA INDEX NAME)



RN 298680-32-7 CAPLUS


CN Guanidine, N-[2-[6,7-dihydro-9,10-dimethoxy-4-oxo-2-[(2,4,6-trimethylphenyl)imino]-2H-pyrimido[6,1-a]isoquinolin-3(4H)-yl]ethyl]-N'-nitro- (9CI) (CA INDEX NAME)





RN 298680-37-2 CAPLUS

CN Guanidine, N-cyano-N'-[2-[6,7-dihydro-9,10-dimethoxy-4-oxo-2-[(2,4,6-trimethylphenyl)imino]-2H-pyrimido[6,1-a]isoquinolin-3(4H)-yl]ethyl]-N''-methyl- (9CI) (CA INDEX NAME)




IT 298680-40-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of 2-arylaminopyrimido[6,1-a]isoquinolin-4-ones as phosphodiesterase inhibitors)

RN 298680-40-7 CAPLUS

CN Carbamic acid, [[2-[6,7-dihydro-9,10-dimethoxy-4-oxo-2-[(2,4,6-trimethylphenyl)imino]-2H-pyrimido[6,1-a]isoquinolin-3(4H)-yl]ethyl]carbonimidoyl]bis-, bis(1,1-dimethylethyl) ester (9CI) (CA INDEX NAME)



REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d his

(FILE 'HOME' ENTERED AT 14:15:27 ON 22 APR 2005)

FILE 'REGISTRY' ENTERED AT 14:15:41 ON 22 APR 2005

L1 STRUCTURE UPLOADED  
L2 0 S L1 SAMPLE  
L3 7 S L1 FULL

FILE 'CAPLUS' ENTERED AT 14:16:51 ON 22 APR 2005

L4 1 S L3

=> log y

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
5.39	167.36

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-0.73	-0.73

CA SUBSCRIBER PRICE

STN INTERNATIONAL LOGOFF AT 14:17:19 ON 22 APR 2005